



Whether images are shot on film or using one of the many digital cameras now available, image media is being acquired and stored digitally in a bewildering range of file and movie formats.

A competent post-production system needs to be able to handle and transcode all of these to ensure optimal workflows. Baselight supports an extensive range of image and movie formats that employ many different codecs and wrapper formats.

File formats

The table on the following pages shows the formats that are supported natively by Baselight and their common extensions; it also shows whether each format can be read or written, and other relevant details such as bit depth and colour channels.

Reading and writing formats

Some formats can be read and written by Baselight; others can be read only or written only. There are many reasons for this.

Decoders and codecs

A decoder just allows a movie file format to be read, while a codec allows the format to be both read and written.

Camera raw source formats

Some digital cameras produce raw images with the original sensor data saved in a Bayer format. To visualise an image, it must be de-Bayered and converted to RGB. There is no benefit to Baselight writing an image in a Bayer format—raw images are used as source only, and so these formats will be decoded (read) but never written.

Format variations

Some formats are tightly specified so that it is possible to accurately read and write compliant files. Some formats, however, are much looser, and can allow for custom data to be included in proprietary fields. Most professional applications generate compliant files that are read easily within Baselight. As far as possible, Baselight also reads and handles commonly used proprietary format extensions.

Resolution

All Baselight systems are unlimited in terms of input image resolution and output render resolutions.

R3D hardware acceleration

The RED .R3D compressed format can be decoded in hardware using the RED Rocket accelerator card (user-supplied). The RED Rocket card requires FLOS 2.1 or higher.

GPU JPEG 2000 acceleration

The Comprinato JPEG 2000 encode and decode GPU solution (optional) supports acceleration for DCP, JPEG 2000 codestream files (J2C) and JPEG 2000 encoded MXF movies.

Continuing development

Baselight is continually updated with support for new formats and codecs. As new formats arise and become prevalent, they are usually included within Baselight. If you require a format for your workflow that is not available already, contact FilmLight to discuss your needs.

Codecs

Format	Extension		Depth/channels	Notes
Sequential image files				
ARRIRAW	.ari	Read only	12/16 bit	Raw camera format; including Alexa raw. Decoded with ARRI SDK
ARRIRAW (HDE-compressed)	.arx	Read only		Codex lossless High Density Encoding optimised for Bayer pattern images
Canon RMF	.rmf	Read only		Canon Raw Media Format
Cineon	.cin	•	10 bit RGB	Supports keycode
DALSA RAW	.dpx	Read only	14 bit	Raw camera format; read only
DPX	.dpx	•	10 bit RGB; 16 bit grey, RGB, 8/10/16 bit 4:2:2/4:4:4 YCbCr	Can also read 8 bit grey, 10 bit grey and RGBA; 12 bit; 16 bit RGBA and 10 bit YCC. Supports timecode, keycode Northlight IR matte and Scanity 2-bit dirt matte
DPX-C	.dpx	Read only		Cineform DPX format
JPEG	.jpg/.jpeg	•	8 bit RGB	Can also read 8 bit grey and RGBA
JPEG 2000	.jp2	•		
JPEG 2000 Codestream	.j2c/.j2k	•		Writes DCI and IMF-compliant JPEG 2000 Codestream files
OpenEXR	.exr/.sxr/.mxr	•	Unlimited channels/layers	Read-only support for multi-part and multi-view OpenEXR files
Panasonic V-RAW	.vraw	Read only		
PGM	.pgm	•	8 bit grey	
Photron RAWW	.raww	Read only		Raw camera format; read only
PNG	.png	•	8/16 bit; grey, RGB/A	
PPM	.ppm	•	8/16 bit; RGB	
RGB	.rgb	•	8/16 bit; grey, RGB/A	Compressed or uncompressed
RUST RAW	.dpx	Read only	10 bit	Raw camera format; read only
SGI	.sgi	•	8/16 bit; grey, RGB/A	Compressed or uncompressed
Targa	.tga	•	8 bit; grey, RGB/A	
TIFF	.tif/.tiff	•	32 bit RGB/A, 8/12/16 bit grey, RGB/A	12 bit conforms to DCI spec
dSLR - Canon raw	.cr2	Read only		Raw dSLR stills camera format; read only
dSLR - Nikon raw	.nef	Read only		Raw dSLR stills camera format; read only
dSLR - Kodak raw	.dcr/.kdc	Read only		Raw dSLR stills camera format; read only
dSLR - Olympus raw	.orf	Read only		Raw dSLR stills camera format; read only
dSLR - Sony raw	.arw/.sr2	Read only		Raw dSLR stills camera format; read only
dSLR - Adobe Digital Neg.	.dng	Read only		Raw dSLR stills camera format; read only
dSLR - Panasonic raw	.rw2	Read only		Raw dSLR stills camera format; read only
dSLR - Hasselblad raw	.3fr	Read only		Raw dSLR stills camera format; read only
dSLR - Mamiya raw	.mef	Read only		Raw dSLR stills camera format; read only
dSLR - Pentax raw	.pef	Read only		Raw dSLR stills camera format; read only
dSLR - Others	.erf/.mos/.raw	Read only		Raw dSLR stills camera format; read only
Movie files				
MXF				
1:1 4:2:2	.mxf	•	8/10 bit YCbCr	
1:1 4:4:4	.mxf	•	10 bit 444 RGB	
ARRIRAW	.mxf	Read only		From Alexa Mini camera
AVC Intra 50/100 (H.264)	.mxf	Read only	Up to 16-bit	From camera or Avid Media Composer
Canon EOS	.mxf	Read only		Including C200, C300, C700; supports split-file media
Canon X3 HEVC	.mxf	Read only		
Cinema DNG	.mxf	Read only		Supports lossy compression (e.g. Blackmagic URSA)

Format	Extension	Depth/channels	Notes
Movie files (cont.)			
D-10 IMX/MPEG	.mxf	•	MPEG 30, 40, 50
DNx444	.mxf	•	444 DNxHD
DNxHD	.mxf	•	DNxHD 36,100, 115, 120, 145, 175, 185, 220, 220x
DNxHR	.mxf	•	DNxHR 444, HQX (12 bit), HQ, SQ, LB
DV25/DV50	.mxf	•	
DVCPRO	.mxf	Read only	
DVCPRO HD	.mxf	Read only	
JPEG 2000	.mxf	•	Writes DCI and IMF-compliant MXFs
Motion JPEG (2:1, 4:1 etc.)	.mxf	•	
ProRes	.mxf	Read only	
Panasonic EVA1 RAW	.mxf	Read only	
Panasonic Varicam	.mxf	Read only	Including Varicam LT
Sony RAW	.mxf	Read only	Including F5, F55, F65, FS700, VENICE/CineAltaV; also supports high frame rate (HFR) and F65 RAW-Lite
Sony X-OCN	.mxf	Read only	Including X-OCN XT, X-OCN LT, X-OCN ST; supports 4K 6.5, 6K 17.9, 6K 185:1, 6K 169, 6K 2.39:1 bitstreams
Sony XAVC	.mxf	•	12/10/8 bit Supports long-GOP data; XAVC proxy extension is .mp4
SStP/L2 4:2:2	.mxf	•	4:2:2 YCbCr Sony HD-CAM SR SStP MPEG-4 codec
SStP/L2 4:4:4	.mxf	•	4:4:4 RGB; 10/12 bit Sony HD-CAM SR SStP MPEG-4 codec HD, 2K
XDCAM HD, HD 4:2:2, EX (MPEG2)	.mxf	•	YCbCr
AVI			
Cineform	.avi	Read only	
DV	.avi	•	
Uncompressed 4:2:2	.avi	•	10 bit
Motion JPEG	.avi	•	
MSMPeg 4v3 (DivX3)	.avi	•	Microsoft DivX 3
MSMPeg 4v3 (WMP)	.avi	•	Microsoft WMP
QuickTime			
Animation (RLE)	.mov	•	
AVC Intra	.mov	Read only	
Avid 1:1x	.mov	Read only	
Avid DNxHD	.mov	Read only	DNxHD 36, 115, 120, 145, 175, 185, 220, 220x
Avid IMX	.mov	Read only	
Cineform	.mov	Read only	HD, 2K, 4K
Component Video YUV422	.mov	•	
DNxHR	.mov	•	DNxHR 444, HQX (12 bit), HQ, SQ, LB
DV	.mov	•	PAL and NTSC
DVCPRO	.mov	•	PAL and NTSC
DVCPRO50	.mov	•	PAL and NTSC
H.263	.mov	•	
H.263+	.mov	•	
H.264	.mov	•	
HEVC	.mov	Read only	
JPEG	.mov	•	
Motion JPEG A	.mov	•	
MPEG4	.mov	•	
Packed YUV	.mov	•	8 bit YCbCr

Format	Extension	Depth/channels	Notes	
Movie files (cont.)				
Planar YUV	.mov	• 420/444 YUV; 4444 YUVA		
PNG	.mov	•	With alpha	
ProRes 422	.mov	•	LT/Proxy/HQ; uses Apple's ProRes library to encode/decode	
ProRes 4444	.mov	•	XQ; uses Apple's ProRes library to encode/decode	
UT Video	.mov	Read only		
XDCAM EX	.mov	Read only	720p 24/25/30/50/60; 1080i 50/60; 1080p 24/25/30	
XDCAM HD	.mov	Read only	1080i 50/60; 1080p 24/25/30	
XDCAM HD422	.mov	•	720p 50/60; 1080i 50/60; 1080p 24/25/30	
3GP				
H.263	.3gp	•		
MPEG-4	.3gp	•		
MP4				
H.263	.mp4	•		
H.264	.mp4	•		
HEVC	.mp4	Read only		
MPEG-4	.mp4	•		
MPEG-2	.mp4	Read only	Supports long-GOP MPEG2 data; e.g. from Sony F3 camera	
Sony XAVC S	.mp4	Read only		
Other				
Canon CRM	.crm	Read only	Canon RAW Light file	
Phantom	.cine	Read only	Raw, RGB	
RED	.R3D	Read only	All	Can be accelerated with RED Rocket
Silicon Imaging	.siv	Read only	10 bit log/12 bit linear	SIV Raw
Subtitles	.xml	Read only		CineCanvas subtitle XML
Digital Cinema Package (DCP)				
SMPTE	n/a	•	Supports encrypted and unencrypted packages.	
Interop	n/a	•	Supports encrypted and unencrypted packages.	

Head Office & EMEA

London, UK
t: +44.20.7292.0400
info@filmlight.ltd.uk

Australia

Sydney
t: +61.2.8746.0602

China

Beijing
t: +86.139.1073.7940

Germany

Berlin
t: +49.151.2345.5668

India

Mumbai
t: +91.9819.426.677

Japan

Tokyo
t: +81.3.6801.6280

Mexico

Mexico City
t: +52(1)55.5165.2132

Singapore

Singapore
t: +65.9670.3283

Thailand

Bangkok
t: +66.891.259.009

USA

Los Angeles
t: +1.323.785.1630

www.filmlight.ltd.uk



Northlight, Baselight, Truelight, Daylight, Prellight, FLIP, FLUX, Blackboard and Slate are trademarks of FilmLight Ltd.

Other products that are referred to in this document may be either trademarks and/or registered trademarks of the respective owners. The publisher and the author make no claim to these trademarks.

© FilmLight 2019

FilmLight